


PCM 471



- Phase change material
- Easy application

Applications

- IGBT
- CPU, GPU

Properties	Unit	PCM 471
Color		Gray
Compound		Filled hot-setting wax
Thermal Properties		
Thermal Conductivity	W/mK	4
Thermal Resistance	K/W	0.07
Mechanical Properties		
Hardness	Shore A	70-80
Softening Interval	°C	>46
Physical Properties		
Application Temperature	°C (°F)	-40 to +150 (-40 to +302)
Density	g/cm ³	1.82
Possible Thickness	mm (inch)	0.200 (0.008)

The data provide engineering guidance, performance in actual applications should be established through testing.